

## 100% Solids Colourants

### Product Description:

Florock 100% Solids Colourant make pigmenting a variety of Florock Systems fast and easy. Available in 8 x 0.95 litre cases, these colourants allow for convenient job site tinting. Unlike traditional solvent based colourants, Florock 100% solids Colourants are solvent-free and will not slow the cure time of blended resin systems.

### Instructions for Use:

1. Always mix or mechanically shake the can of colourant prior to blending in resin. Using the Usage Rate Table, determine how much 100% Solids Colorant will be necessary. Remember to calculate the quantity of 100% Solids Colourant needed, based on the combined volume (A & B mixture) of a two component system.
2. When pigmenting a dual component system, blend the two components together per system instructions. Induct if necessary. Then add in the amount of 100% Solids Colourant as specified in the Usage Rate Table.
3. Blend well, using a low speed mechanical mixer for a sufficient time to develop a homogeneous appearance.

### Florock 100% Solids Colourants are compatible with the following Florock Systems:

- Floropoxy 4700, 4750, 4805, 4860 & 4870
- Novolac
- Florothane CR 250
- FloroFlex 6500 series

*Note: Consult your Florock Representative for use with other Florock Systems.*

*Note: The pigmenting of clear resin systems may result in a change of their chemical resistant properties.*

**Please read material safety data before using product.**

### DISCLAIMER:

All statements and recommendations are based on experience we believe to be reliable. The use or the application of these products being beyond the control of the Seller or Manufacturer, neither Seller nor Manufacturer make any warranty, expressed or implied, as to results or hazard from its use. The suitability, risk and liability of a product for an intended use.

<p><b>100% Solids Colourant</b></p> <p>Use lesser amount of colourant indicated for applications over 400 microns or in multi-coat applications.</p>		<p><b>System</b></p>	<p>Floroproxy 4700, 4750, 4805, 4860 &amp; 4870</p>		<p>Novolac Epoxy</p>		<p>FloroWear 7100</p>		<p>Florothane CR 250</p>		<p>Florothane MC Ultra 100</p>		<p>FloroFlex System 6500</p>		
			<p><b>Typical Batch Size:</b></p>		<p><b>Ltr</b></p>		<p>15</p>		<p>19</p>		<p>17</p>		<p>15</p>		<p>19</p>
<p><b>Part number</b></p>		<p><b>Colour</b></p>													
<p>M8-138QT</p>		<p>Light Grey</p>		<p>2-4</p>		<p>2-4</p>		<p>N</p>		<p>2</p>		<p>N</p>		<p>2-4</p>	
<p>M1-067QT</p>		<p>White</p>		<p>2-4</p>		<p>2-4</p>		<p>N</p>		<p>2</p>		<p>N</p>		<p>2-4</p>	
<p>M7-062QT</p>		<p>Sand Beige</p>		<p>2</p>		<p>2</p>		<p>N</p>		<p>1-2</p>		<p>N</p>		<p>2</p>	
<p>M4-056QT</p>		<p>Green</p>		<p>1-2</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>	
<p>M5-046QT</p>		<p>Smoke Blue</p>		<p>1-2</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>	
<p>M5-045QT</p>		<p>Standard Blue</p>		<p>1-2</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>	
<p>M5-047QT</p>		<p>Assembly Blue</p>		<p>1-2</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>	
<p>M8-137QT</p>		<p>White Night Grey</p>		<p>1-2</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>	
<p>M8-136QT</p>		<p>Standard Grey</p>		<p>1-2</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>	
<p>M6-040QT</p>		<p>Tile Red</p>		<p>1-2</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>		<p>N</p>		<p>1-2</p>	

Consult your Florock Representative for assistance with calculating product quantities.