

MATERIAL SAFETY DATA SHEET

Prepared in accordance with ISO 11014-1/ ANSI standard Z400.1-2004

Revision Date: 13/April/2012

Product Code: M5

PRODUCT AND COMPANY IDENTIFICATION

Product Name: CAB-O-SIL® Untreated Fumed Silica

Synonyms: Silicon Dioxide, Synthetic Amorphous Silica, Pyrogenic (Fumed) Amorphous Silica

This SDS is valid for CAB-O-SIL® Furned Silica, L-50, L-60, L-90, LM-130, LM-150, M-5, M-5K, PTG, MSthe following grades: 55, H-5, H-7D, HS-5, EH-5, LM-130D, LM-150D, M-7D, MS-75D, S-17D, HP-60, M-

8D, EL-1000, EL-2000, MS-35, H300, EL-90, EL-100

Use of the

Substance/Preparation:

Rheological control, Flow agent, Reinforcing agent in: Coatings, Adhesives, Various

Supplier:

Cabot GmbH Kronenstrasse 2 79618 Rheinfelden

GERMANY

Tel: (+49) 7623.7070

Fax: (+49) 7623.707 530

Cabot Bluestar Ltd.

Xinghuo Industrial Garden

Yongxiu County, Jiujiang City 330319 Jiangxi Province, CHINA

Tel: (86-792) 3170163 Fax: (86-792) 3170122 Cabot Carbon, Ltd. Sully Moors Road

Sully, Vale of Glamorgan

CF64 5RP

Wales, UNITED KINGDOM Tel: (+44) 1446.736999

Fax: (+44) 1446.737123

Cabot Corporation

3603 South Saginaw Road

Midland, MI 48640 **UNITED STATES** Tel: 1-989-495-0030 Fax: 1-989-495-2139 Tuscola, IL 61953-9643 **UNITED STATES**

Cabot Corporation

700 E U.S. Highway 36

Tel: 1-217-253-3370 Fax: 1-217-253-5586

Cabot Corporation 157 Concord Road Billerica, MA 01821

UNITED STATES Tel: 1-978-663-3455 Fax: 1-978-670-6955

Emergency Telephone Number: Germany (Cabot GmbH - Rheinfelden): (+49) 7623-7070

UK (Cabot Carbon Ltd - Barry): (+44) 1446-709 641

Canada: CANUTEC 1-613-996-6666

US: CHEMTREC 1-800-424-9300 or 1-703-527-3887

China: (86-792) 3170175

CHEMTREC China: 4001-204937

2. HAZARDS IDENTIFICATION

Pictogram: Not applicable **Signal Word:** Not applicable

Indication of danger: Not a hazardous substance or mixture according to the Globally Harmonized System

(GHS)

Not applicable **Hazard Statement(s):**

Precautionary Statement(s): Not applicable

Cabot Corporation

Product Name: CAB-O-SIL® Untreated Fumed Silica Product Code: M5 Revision Date: 13/April/2012 Page 2 of 9

EMERGENCY OVERVIEW -

CAUTION:

White powder. Odorless. Dust may be irritating to eyes and respiratory tract. Repeated exposure may cause skin dryness or cracking. Take precautionary measures against static discharges. All metal parts of the mixing and processing equipment must be earthed/grounded. Ensure all equipment is electrically

earthed/grounded before beginning transfer operations.

Principle Routes of Exposure: Inhalation, Skin contact, Eye contact

POTENTIAL HEALTH EFFECTS

Eye Contact: May cause mechanical irritation.

Skin Contact: Repeated exposure may cause skin dryness or cracking.

Inhalation: Dust may be irritating to respiratory tract. Provide appropriate exhaust ventilation at

machinery and at places where dust can be generated. See also Section 8.

Ingestion: Health injuries are not known or expected under normal use.

Carcinogenic Effects: Does not contain any substances greater than 0.1% listed by IARC (International

Agency for Research on Cancer), NTP (National Toxicology Program), OSHA (Occupational Safety and Health Administration), ACGIH (American Conference for Governmental Industrial Hygienists) or EU (European Union). See also Section 11.

Target Organ Effects: Lungs

Medical Conditions Aggravated

by Exposure:

Asthma, Respiratory disorder

Potential Environmental Effects: No special environmental precautions required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	EINECS/ELINCS Number	Weight %	EU Classification
Synthetic Amorphous, Pyrogenic Silica	112945-52-5	*	> 99.9	None

^{*} See Section 15.

4. FIRST AID MEASURES

Skin Contact: Wash thoroughly with soap and water. Seek medical attention if redness, swelling,

itching, or burning occurs.

Eye Contact: Flush eyes immediately with large amounts of water for 15 minutes. Seek medical

attention if redness, swelling, itching, burning or visual disturbances occur.

Inhalation: If cough, shortness of breath or other breathing problems occur, move to fresh air.

Seek medical attention if symptoms persist. If necessary, restore normal breathing

through standard first aid measures.

Ingestion: Do not induce vomiting. If conscious, give several glasses of water. Never give

anything by mouth to an unconscious person.

Notes to Physician: Treat symptomatically.

5. FIRE AND IGNITION INFORMATION

Flash Point: Not determined Explosion Limits in Air - Upper (g/m³): Not applicable

Revision Date: 13/April/2012 Page 3 of 9

5. FIRE AND IGNITION INFORMATION

Not applicable Explosion Limits in Air - Lower (g/m³):

OSHA Flammability Classification: Not applicable

Autoignition Temperature: Not applicable

Use extinguishing measures that are appropriate to local **Extinguishing Media:**

circumstances and the surrounding environment.

Special Protective Equipment for Firefighters: Wear suitable protective equipment. In the event of fire,

wear self-contained breathing apparatus.

Specific Hazards: Product resists ignition and does not promote flame spread.

Hazardous Decomposition and/or Combustion

Products:

None.

Risk of Dust Explosion: This material is an inorganic dust and will not create nor

support conditions that would result in a dust explosion or

fire

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid dust formation. Ensure adequate ventilation. Use personal protective

equipment. See also Section 8.

Clean up promptly by vacuum. Use a suitable vacuum cleaner. Do not create a dust Methods for Cleaning Up:

cloud by using a brush or compressed air. Pick up and transfer to properly labelled

containers. See Section 13.

Environmental Precautions: No special environmental precautions required. Local authorities should be advised if

significant spillages cannot be contained.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes. Avoid dust formation. Do not breathe dust. Provide

> appropriate exhaust ventilation at machinery and at places where dust can be generated. Do not create a dust cloud by using a brush or compressed air. Take precautionary measures against static discharge. All metal parts of the mixing and processing equipment must be earthed/grounded. Ensure all equipment is electrically

earthed/grounded before beginning transfer operations.

Storage: Keep containers tightly closed in a dry and well-ventilated place. Do not store

together with volatile chemicals as they may be adsorbed onto product. Keep at

ambient temperatures.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Amorphous Silica, The regulatory Australia: 2 mg/m³, TWA, Respirable **exposure limits are found under** Austria MAK: 4 mg/m³, TWA, Inhalable fraction 5 mg/m³

the general silica, CAS RN 7631- Finland:

86-9:

Germany TRGS 900: 4 mg/m³, TWA, Inhalable fraction (a)

India: 10 mg/m³, TWA

Ireland: 2.4 mg/m³, TWA, Respirable dust 1.5 mg/m³, TWA, Respirable dust Norway:

4 mg/m³, TWA, Inhalable Switzerland: UK WEL: 6 mg/m³, TWA, Inhalable 2.4 mg/m³, TWA, Respirable

Dust, or Particulates Not Otherwise Specified:

Belgium: 10 mg/m³, TWA, Inhalable 3 mg/m³, TWA, Respirable

China: 8 mg/m³, TWA

10 mg/m³, STEL France:

10 mg/m³, TWA Inhalable dust 5 mg/m³, TWA Respirable dust

Italy: 10 mg/m³, TWA, Inhalable

3 mg/m³, TWA, Respirable 10 mg/m³, TWA, Inhalable Malaysia: 3 mg/m³, TWA, Respirable

Spain: 10 mg/m³, VLA, Inhalable 3 mg/m³, VLA, Respirable

10 mg/m³, TWA, Inhalable US ACGIH - TLV:

3 mg/m³, TWA, Respirable

US OSHA - PEL: 15 mg/m³, TWA, Total dust

5 mg/m³, TWA, Respirable

(a) - In its facilities globally, Cabot Corporation manages to the Germany TRGS 900 occupational exposure limit of 4 mg/m³, TWA, Inhalable fraction

MAK: Maximale Arbeitsplatzkonzentration (Maximum Workplace Concentration)

OEL: Occupational Exposure Limit PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit **TLV: Threshold Limit Value**

TRGS: Technische Regeln für Gefahrstoffe (Technical Rule for Hazardous Materials)

TWA: Time Weighted Average

US ACGIH: United States American Conference of Governmental Industrial Hygienists

US OSHA: United States Occupational Safety and Health Administration

VLA: Valore Límite Ambientales (Environmental Limit Value)

WEL: Workplace Exposure Limit

ENGINEERING CONTROLS Ensure adequate ventilation to maintain exposures below occupational limits.

Provide appropriate exhaust ventilation at machinery and at places where dust can

be generated.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Approved respirator may be necessary if local exhaust ventilation is not adequate.

Hand Protection: Repeated exposure may cause skin dryness or cracking. Use appropriate protective

barrier before handling.

Wear eye/face protection. **Eye Protection:**

Skin and Body Protection: Wear suitable protective clothing.

Handle in accordance with good industrial hygiene and safety practice. Emergency Other:

eyewash and safety shower should be located nearby.

Revision Date: 13/April/2012

Product Name: CAB-O-SIL® Untreated Fumed Silica Product Code: M5

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White Powder

Odor: None

Odor Threshold: Not applicable

pH: 3.6 - 4.5

Vapor Pressure: Not applicable

Vapor Density: Not applicable

Boiling Point/Range: 2230°C

Melting Point/Range: 1700°C

Water Solubility: Poorly soluble

Density: 2.2 g/cm³ @ 20°C

Specific Gravity: 2.2 @ 20°C

Bulk Density: 30-150 kg/m³

% Volatile (by Weight): Not applicable

Evaporation Rate: Not applicable

Viscosity: Not applicable

Partition Coefficient (n-octanol/water): Not determined

Flash Point: Not determined

Explosion Limits in Air - Upper (g/m³):Not applicable **Explosion Limits in Air - Lower (g/m³):**Not applicable

Flammability Classification: Not applicable

Autoignition Temperature: Not applicable

Decomposition Temperature: Not determined.

Oxidizing Properties: Not applicable

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to Avoid: None reported.

Hazardous Decomposition and/or None.

Combustion Products:

Cabot Corporation

Product Name: CAB-O-SIL® Untreated Fumed Silica Product Code: M5 Revision Date: 13/April/2012 Page 6 of 9

Static Discharge Effects: Take precautionary measures against static discharges. Avoid dust formation. All

metal parts of the mixing and processing equipment must be earthed/grounded. Ensure all equipment is electrically earthed/grounded before beginning transfer operations. This material is an inorganic dust and will not create nor support

conditions that would result in a dust explosion or fire.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Oral LD50: LD50/oral/rat = > 5000 mg/kg.

Inhalation LC50: Due to the product's physical characteristics, no suitable testing procedure is available.

Dermal LD50: LD50/dermal/rabbit = > 2000 mg/kg.

STOT - Single Exposure: None observed.

Eye Irritation: Draize score 1.0/110 @ 24 hr.

Skin Irritation: Primary irritation index = 0/8 @ 24 hr

SUBCHRONIC TOXICITY

No significant treatment-related adverse effects were observed in rats administered silica at doses of up to 8% silica in their diet for a duration of 2 weeks to 6 months.

STOT - Repeated Exposure: None expected

CHRONIC TOXICITY

Mutagenic Effects:

Not mutagenic in AMES Test, Negative in the unscheduled DNA synthesis assay, Negative in the chromosome aberration test in Chinese hamster ovary (CHO) cells.

Reproductive Toxicity: Did not show teratogenic effects in animal experiments. According to experience not expected.

Sensitization: According to experience, sensitization is not expected.

Synergistic Materials: None reasonably foreseeable.

Carcinogenic Effects: Does not contain any substances greater than 0.1% listed by IARC (International Agency for Research on Cancer), NTP (National Toxicology Program), OSHA (Occupational Safety and Health Administration), ACGIH (American Conference for Governmental Industrial Hygienists) or EU (European Union)

Aspiration Hazard: Not determined

12. ECOLOGICAL INFORMATION

Fish (Brachydanio rerio) LC50 (96 h): > 10,000 mg/l; (Method: OECD 203) **Aquatic Toxicity:**

ENVIRONMENTAL FATE

Mobility: Not expected to migrate.

Bioaccumulation: Not expected due to physicochemical properties of the substance.

Persistence / Degradability: The methods for determining biodegradability are not applicable to inorganic

substances

Cabot Corporation Product Code: M5

Product Name: CAB-O-SIL® Untreated Fumed Silica Product Code: M5 Revision Date: 13/April/2012 Page 7 of 9

Distribution to Environmental

Not determined.

Compartments:

PBT and vPvB Assessment: This substance does not fulfill the criteria for PBT or vPvB

Other adverse effects: No other data are available

13. DISPOSAL CONSIDERATIONS

Disclaimer: Information in this section pertains to the product as shipped in its intended composition as described in Section 3 of this MSDS. Contamination or processing may change waste characteristics and requirements. Regulations may also apply to empty containers, liners or rinsate. State/provincial and local regulations may be different from federal regulations.

RCRA Classification (40 CFR 261): Not a hazardous waste.

DISPOSAL CONSIDERATIONS Dispose of in accordance with all applicable laws and regulations

14. TRANSPORT INFORMATION

US Department of Transportation Use UN Classification listed.

(US DOT) Hazardous Materials

Regulations Status:

UN Number: Not regulated

UN Proper Shipping Name: Not regulated

UN Shipping Class: Not regulated

UN Packing Group: Not regulated

IMDG (International Maritime Organization's Dangerous Goods Code):

Use UN classification listed above.

IATA:

Use UN classification listed above.

15. REGULATORY INFORMATION

Regulatory information is found under the general silica: CAS RN 7631-86-9, EINECS RN 231-545-4.

Hazard Classification

United States - OSHA (29 CFR 1910.1200): Hazardous.

Mexico - NOM-018-STPS-2000: Refer to HMIS Rating in Section 16. Canada - WHMIS Classification (CPR, SOR/88-66): Not controlled.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Chemical Name	WHMIS Ingredient Disclosure List:
	General Silica, CAS RN 7631-86-9, is Listed
Silica	

International Inventories

All components of this product are listed on or exempt from the following inventories:

YES - Australian Inventory of Chemical Substances (AICS)

YES - Canadian Domestic Substances List (DSL)

YES - Chinese Inventory



Cabot Corporation

Product Name: CAB-O-SIL® Untreated Fumed Silica Product Code: M5 Revision Date: 13/April/2012 Page 8 of 9

- YES European Inventory of Existing Commercial Chemical Substances (EINECS)
- YES Japanese Existing and New Chemical Substances (ENCS)
- YES Korean Existing Chemicals List (KECL)
- YES New Zealand Hazardous Substances and New Organisms Act (HSNO)
- YES Philippine Inventory of Chemicals and Chemical Substances (PICCS)
- YES United States Toxic Substances Control Act (TSCA) Inventory

U.S. Federal Regulations

TSCA 12(b) Export Notification: This product does not contain any components that are subject to TSCA 12(b) Export Notification.

Clean Air Act Amendments of 1990 (CAA, Section 112, 40 CFR 82): This product does not contain any components listed as a Hazardous Air Pollutant, Flammable Substance, Toxic Substance, or Class 1 or 2 Ozone Depletor.

Clean Water Act (CWA, 40 CFR 116) Priority Pollutants: This product does not contain any listed Priority Pollutants.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA, 40 CFR 302): This product does not contain any listed Hazardous Substances.

Superfund Amendments and Reauthorization Act, Title III (SARA):

SARA Section 302 (40 CFR 355) Extremely Hazardous Substances: No components are listed as extremely hazardous substances under SARA Section 302.

SARA Sections 311/312 (40 CFR 370) Hazard Category: This product does not meet any of the MSDS Requirement definitions for a hazardous material under SARA Sections 311/312. Reporting may be required if the material is present at any one time in amounts equal to or greater than 10,000 pounds.

SARA Section 313 (40 CFR 372) Toxics Release Inventory: Does not contain any of the substances identified under Section 313 as toxic chemicals in excess of the de minimis concentrations necessary to be subject to the supplier notification requirements.

Pharmaceutical Information: Not recommended.

U.S. State Regulations

California Proposition 65: This product does not contain any components listed on California Proposition 65.

US Coalition of NorthEastern Governors (CONEG) Metals List: This product meets the CONEG Source Reduction Council limits for the sum of the levels of lead, cadmium, mercury and hexavalent chromium of less than 100 parts per million by weight.

16. OTHER INFORMATION

HMIS Rating

HMIS Index: * - chronic, 0 - minimal, 1 - slight, 2 - moderate, 3 - serious, 4 - severe

Health: 1 Flammability: 0 Physical Hazard: 0

Prepared by: Cabot Corporation - Safety, Health and Environmental Affairs

Revision Date: 13/April/2012
Previous Revision Date: 01/February/2012

Reason for Revision: Revision to Section(s) 1, 9, New product

Disclaimer:

The information set forth is based on information that Cabot Corporation believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and Cabot assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

® and 'TM' indicate trademarks of the Cabot Corporation.